





**24" metal spiked stand for 805S**  
**Black or brushed aluminum finish**

Designed to match the 805S, this elegant matching floor stand raises the speaker to the correct listening height and provides a stable, rigid support.

Catering to all circumstances, there is a choice of upward facing spikes, screws or reusable adhesive to attach the speaker. Floor spikes are included.

Available in all black or silver with grey base and top, the column incorporates a cable conduit and may be filled with sand to add mass and damping.



**12" metal spiked center channel stand for HTM2D, HTM3S, or HTM4S**  
**Black or brushed aluminum finish**

The metal spiked stand for the HTM2D, HTM3S, and HTM4S supports the speaker at a height low enough to allow the use of large projector screens that come to within 2 feet of the floor and has zero, 4 or 8 degrees of tilt-back so that the speaker can be directed towards the listeners.

Available in all black or silver with grey base and top. Floor spikes and screws to attach the speaker are included.



**24" metal spiked stand for 705**  
**Black or brushed aluminum finish**

Designed for the 705 speaker, but also suitable for other speakers of similar size, this elegant matching floor stand raises the speakers to the correct listening height and provides a stable, rigid support.

The heavy, cast iron base ensures stability and the extruded aluminium columns may be filled with sand to add mass and damping. One of the columns also incorporates a cable conduit.

The stand is available either in all black or with silver columns and grey base and top. Floor spikes and screws to attach the speaker to the stand are included.



**24" metal spiked stand for CM1**  
**Black or brushed aluminum finish**

The stylish matching floor stand for the CM1 elevates the speaker to the appropriate listening height and provides steady support. The base is made of cast iron, guaranteeing solidity. To add mass, the aluminum columns may be packed with sand. A cable conduit is included in one of the columns.

The stand comes either solid black or with silver columns and grey base and top. Floor spikes and screws to attach the speaker to the stand come standard.



**24" metal spiked stand for DM600 and DM601**  
**Black finish**

Universal 24" tall design. The vertical metal columns can be filled with sand to dampen resonances and the base comes with screw-in adjustable spikes to further reduce resonance and enhance stability. Available in black painted finish only.



**20" metal spiked stand for DM602**  
**Black finish**

The DM602 stand is identical in design to the DM601 stand except it is 20" tall and is the perfect complement for the DM602, as well as other tall bookshelf speakers. Available in black painted finish only.



**16" center channel stand for LCR60 and LCR600**  
**Black finish**

The LCRS stand for center channels LCR60 and LCR600 is a 16" tall design. The vertical metal columns can be filled with sand to dampen resonances and the base comes with screw-in adjustable spikes to further reduce resonance and enhance stability. Available in black painted finish only.



**28" metal stand for XT2**  
**Satin polished aluminum finish**

With its sophisticated aluminum column and solid heavy base, the FS-XT floor-stand is a perfect compliment to the XT2 monitor. With the XT2 mounted on the floorstand, the monitor provides genuine compact and critical performance - with the unique benefit of a contemporary and stylish satin polished aluminum aesthetic.



**38" floor stand for M-1**  
**Brushed aluminum finish**

The M-1 stand is an option where wall or shelf mounting is not required. The M-1's innovative cable management system really comes into its own when used with the floor stand. Cable enters via the stand (or table plinth or wall bracket) and the electrical signal is conducted to the speaker through the metal 'arm' that supports it. The arm itself forms the negative conductor, and a single, insulated wire running inside it provides the positive one.



**31" floor stand for LM1**  
**Brushed aluminum or black finish**

Designed specifically for the LM1, the stand raises the speaker to the correct listening height and allows it to be angled in both horizontal and vertical planes.

The notable base is fitted with adjustable feet to cater for uneven floors and the supporting pillar fixes directly to the speaker in place of the original base.



**46" Floor stand for VM1**  
**Brushed aluminum finish**

With its elegant extruded aluminium stem and weighty cast iron base, this floor stand is the perfect partner to the VM1, raising it to the correct listening height. The speaker simply slots into the top of the stem, which also serves to hide the cable tidily. Even the terminals are covered from view.

Available with clear lacquered aluminum stem and dark grey base and trim, the stands are supplied in pairs.



**Floor stand for FPM4 and FPM5**  
**Silver finish**

This matching floorstand offers a solid, elegant mount, and allows cables to be concealed in a channel at the rear. Vertical mount only.



**Floor stand for FPM6**  
**Silver finish**

This stand raises the FPM6 to the correct listening height and allows for positioning anywhere in a room as rear speakers for home cinema, or in hi-fi applications. Cables are concealed in a channel at the rear. Vertical mount only.



**Table mount stand for FPM2, FPM4, FPM5 and FPM6**  
**Silver finish**

Thanks to this specially designed stand FPMs can sit happily on a tabletop alongside or below an LCD TV. Vertical or horizontal mounting.

**FPM Table Stand Dimensions**

Speaker	Mount	Height w/ speaker
FPM2	horizontal	10.25"
FPM4	vertical	24.5"
FPM4	horizontal	10.25"
FPM5	vertical	28.5"
FPM5	horizontal	10.25"
FPM6	vertical	32.75"
FPM6	horizontal	10.75"

# Stand Specifications

Model	Order Code	Height	Height w/ Speaker	Width	Depth	Weight
805	<i>Black:</i> N85SB <i>Br. Alum.:</i> N85SA	23.4"	39.9"	11"	14.7"	18 lbs.
705	<i>Black:</i> 705SB <i>Br. Alum.:</i> 705SA	23.4"	40"	10.9"	14.5"	22 lbs.
CM1	<i>Black:</i> CM1SB <i>Br. Alum.:</i> CM1SA	23.4"	34.4"	10.9"	14.5"	22 lbs.
XT2	FSXT	27.6"	39.9"	11.4"	11.4"	22 lbs.
DM600, DM601	D61S	24"	35.3" 38.4"	9.5"	11.75"	18 lbs.
DM602	D62S	20"	39.3"	9.5"	11.75"	20 lbs.
HTM2D, HTM3S, HTM4S	<i>Black:</i> HTMBS <i>Br. Alum.:</i> HTMSS	11.6"	24.6" 24.2" 22.6"	20.5"	12.3"	29.3 lbs.
LCR60, LCR600	LCRS	16"	22.9" 24"	9.5"	12"	17 lbs.
M1	M1SA	37.7"	42.7"	9.9"	9.9"	12.8 lbs.
LM1	<i>Black:</i> LM1SB <i>Br. Alum.:</i> LM1SA	31"	41.2"	7.7"	10.2"	65 lbs.
VM1	VM1SA	45.5"	50"	9.9"	9.9"	8.3 lbs.
FPM Table Stand	FPMDS	8"	see description	8.25"	7.1"	16 lbs.
FPM4, FPM5	FPMFS	42.5"	47.75" 51.5"	10.25"	8.75"	40 lbs.
FPM6	FPM6FS	39.75"	51.75"	10.25"	8.75"	39 lbs.

## B&W Bowers & Wilkins

B&W Group Ltd  
Dale Road  
Worthing West Sussex  
BN11 2BH England

T +44 (0) 1903 221800  
F +44 (0) 1903 221801  
info@bwgroup.com  
www.bwspeakers.com

UK Group (UK Sales)  
T +44 1903 221 500  
E uksales@bwgroup.com

B&W Group North America  
T +1 978 664 2870  
E marketing@bwgroupusa.com

B&W Group Asia Ltd  
T +852 2 869 9916  
E showroom@bwgroup.hk